



### MAIN CHARACTERISTICS

Builder	Feadship
Designer	Kees van den Hoek & Feadship
Built Year	1969
Refit Year	2012
Hull Material	Steel Hull
Length	25.81 M / 84'68"
Beam	5.87 M / 19'26"
Draft	2.13 M / 6'99"
Displacement	100.00 tons
Lying	South of France
Registry	England

2,990,000 EUR 3,439,926 USD\*

<sup>\*</sup> Approximate price conversion



### **DESCRIPTION**

Bright high quality example of the mid last century 1950-60's Yachting excellence, this Canoe Stern Yacht is a flagship by itself of what was yachting golden age in the French riviera. Built in 1969 and fitted with 2 original Gardener Engines totally rehauled in 2012 together with the rest of this Yacht for an extensive refit at the Feadship yard in 2012, to grant this unit its a true Pedigree but adding what's needed of modern technology to do not compromise comfort and safety onboard. With a capacity of eight guest accomodated in four state rooms, including a full beam Master ensuite with its own full head bathroom including a large bathtub and a separate shower, a the most central and comforable lower deck area, another full beam VIP ensuite at the center aft of the yacht with its own bathroom and shower, as well as two central portboard and starboard doubles cabins which can be convereted in two twins sharing a central bathroom. Surounded by a quiet and contemporary soft grey and walnut timeless interior, all guests will enjoy the truly unique cruising atmosphere at the fantastic economical speed of 10knots for a consumption of not more than 35 liters an hour, just as it was meant to be...



Specifications			
BOAT DETAILS			
Built Year	1969	Refit Year	2012
Lying	South of France	Registry	England
Certification			
Compliance	commercial registration		
Builder / Designer			
Builder	Feadship	Designer	Kees van den Hoek & Feadship
Naval Architect	Feadship	Hull Type	Displacement
Hull Material	Steel Hull		
Dimensions			
Length	25.81 M / 84'68"	Beam	5.87 M / 19'26"
Draft	2.13 M / 6'99"	Displacement	100.00 tons



	I	Machinery		
Engine Maker	Gardner	Drive	Shaft	
Number of Engines	2	Propulsion Mode	Diesel	
Engine(s) power	245.00 hp	Engine(s) model	Eight cylinders flat	
Engine 1 hours	3,900.00 H.	Engine 2 hours	4,400.00 H.	
Gearboxes/Transmission	Manual Gearbox	Main Generator Maker	Caterpilar C 2.2	
Main Generator Power	27.00 KW	Main Generator Hours	6,380.00 H.	
Stabilizer Maker	Wesmar stabilizer system	Water Maker	Idromar	
Water Maker Flow	124.00 l/H / 32.74 gal/H	AC type	Marix rpm regulated air-condition system	
Performances				
Cruising Speed	10.00 knots	Max Speed	12.00 knots	
Range	2,100.00 NM	Cruising Speed for Range	10.00 knots	
Tankages				
Fuel	8,500.00 liters / 2,244.00 US gals	Water	3,000.00 liters / 792.00 US gals	



Thomas Peltier • P: +352.27.40.99.90 • M: +352.621.326.323



_						
- 1	٨	NI	V	Λ	$\boldsymbol{c}$	FS
	$\overline{}$	ıv	I .	~	١ı	1.3

**Holding** 660.00 liters / 174.24 US gals

#### Accomodations

Sleeps	8 guests	Berths	2 simple, 3 double
Bathroom	3	Crew	4
Crew Berths	4		

# COMMUNICATION & NAVIGATION EQUIPMENT

- Complete "Yacht control" NMEA 2000 system
- PC based system with back up computer in case of failure
- 48 mile KODEN radar
- Raymarine VHF
- Raymarine "smart" pilot with wireless remote control and constant running hydraulic pump
- Depht sounder
- Weather station
- Cmap based chart plotter
- NMEA software switches
- Twin daylight "touch" screens
- NMEA 2000 and IP based (CAT 5 cables) networks throughout the ship
- 2x handheld VHF's with Bluetooth headsets
- AIS class A

t.peltier@seastemia.com

- Central tv digital antenna system
- Underwater bow and stern camera, aft deck and forward-looking mast cameras
- Underwater LED lights at stern, side and bow
- Iridium satphone
- HP wireless printer/scanner
- On board wifi system
- Smart phone/tablet/PC/MAC wireless connection to allow remote monitoring and switching of most of the systems.
- Retractable dashboard
- EPIRB

#### **Mechanical Systems:**

- 2 x hot water boilers of 110 liters each
- In tank fitted Grundig rpm regulated freshwater pump
- 4 Hp 380 volts waste water pump
- Magnetic driven impeller centrifugal pumps for firefighting, bilge and water maker supply
- SEPAR fuel filters
- Fuel transfer pump with SEPAR filtering system
- Constant running 24 volts steering pump
- Main engine driven stabilizer hydraulic pump
- Holland Warmte diesel burner heater

## **Electrical Systems:**



- 12/24V DC
- 220/380 V AC 50 Hz

- 2x 24V engine starter gel batteries
  40x 200 amps (total 8000 amps)
  24V service gel batteries
  3x 8Kw DC/AC Victron converters (total 24 Kw)



# RECREATIONAL EQUIPMENT

#### Storage:

Below the crew quarters is a large storage area. This space contains a large washing machine, heat pump silent drying machine, 3 separate 50 ltrs freezers, an additional 110 ltrs fridge and lots of storage space for food, drinks etc.

Tenders:

"Williams" jet tender and a "Yamaha" waverunner stowed on the foredeck. The jet tender allows to enter shallow waters and beaching due to the lack of a propeller and is therefore safe for swimmers too. The foredeck was designed to ensure that these tenders use the same center mounted deck crane, allowing (in most circumstances) to be launched while moored in port.











































































